



**National
Aerospace
Laboratories**

Class *Unrestricted*
No. of Copies *Softcopy for
circulation + 6 Hard copies*

Title: *Ultra-Wideband Multi-Resonance Negative EM Parameters*

Author/s: Mahesh Kag, Satya Kesh Dubey, and R. M. Jha

Division: ALD

NAL Project No: A-8-604

Document No: PD AL 1216

Date of issue: May 2012

Contents: Pages: Figures: Tables: References:

External Participation: Nil

Sponsor: x

Approval: Chairman, Systems Engineering Cluster

Satya Kesh Dubey
5/6/12

Remarks: x

Keywords: *Metamaterial, Split Ring Resonator (SRR), Negative permittivity (ϵ) permeability (μ) and refractive index(n).*

Abstract: *A novel split ring resonator (SRR) design is proposed to yield effective negative permeability (μ) for ultra-wide frequency range. A '+' shaped slot-loaded disc is inserted at the centre of the inner-ring rotated SRR. The effect of proposed '+' shaped slot-loaded disc on SRR is studied. It is shown that such loading results in negative value for μ , with a high fractional bandwidth ($\gamma = 0.821$), over a wide frequency band (of 20-30 GHz, with only a slight mismatch in 25.85-26.65 GHz range). The dimension of thin wire is also studied to optimize the design parameters.*